

Release Information

Allocare AMS & Allocare WEB

Release 26.3

August 2026

Copyright and Comments

Copyright © 2026 by Allocare AG, Kantonsstrasse 3, CH-6246 Altishofen/Switzerland.

www.allocare.com

info@allocare.com

Information contained in this document was carefully written after thorough research and has been reviewed for correctness. Despite all efforts, mistakes can still occur. If one is encountered, we kindly request you to report to Allocare Support for rectification. In no event Allocare AG, or any employees of Allocare AG, shall be liable for any damages arising out of mistakes or misunderstandings contained in the information of this document.

The name Allocare and the Allocare logo are trademarks of Allocare AG, Altishofen. Other hardware and software product names referenced in this document are trademarks of the respective company.

This document or any part of it is not allowed to be distributed or reproduced in any form without the explicit consent of Allocare AG.

Introduction

This Release Information describes the most important new functionalities delivered by **Allocare AMS & Allocare WEB Release 26.3**. The delivery of the software releases is handled via support or project managers.

For additional information regarding the functionality, please contact your **Account Manager** or:

Support

Phone: +41 62 748 65 55

Mail: support@allocare.com

Sales

Phone: +41 62 748 65 65

Mail: sales@allocare.com

Contents

1.	Allocare AMS General	4
1.1	Parallel Job Execution.....	4
2.	Allocare AMS Portfolio	5
2.1	Total Return Swap - Transaction Investment Object	5
2.2	Search by Identifier or Portfolio Name	6
2.3	New Methods: Value (TS) & Value (TS) %	7
2.4	Constraint Editor Enhancements	8
2.5	Transfer of Code Values	8
2.6	Diagnosis of Scheduled Tasks	9
2.7	Reporting	10
2.7.1	General.....	10
2.7.2	Standard Reports.....	13
2.7.3	Add-On-Reports.....	15
3.	Allocare WEB	16
3.1	New Technology	16
3.2	Performance Improvements Analysis Tree and Dashboards	16
4.	Modules & Interfaces	17
4.1	New FIX Order Interfaces: Bethmann BCEE KBC	17
4.2	VDF Feed: Investment Classifiers for MiFID II Target Markets.....	18
4.3	GDF Feed: GDF MAP2 - Multi Field Mapping.....	18
5.	System Requirements	19
6.	Installation Requirements	20

1. Allocare AMS General

1.1 Parallel Job Execution

The latest performance enhancements significantly improve the efficiency of background processing. Jobs for the same portfolios can now be executed in parallel, allowing multiple tasks to run simultaneously instead of sequentially. Combined with optimized calculations and print job processing, this delivers substantially faster execution times. Tests conducted within the Allocare infrastructure demonstrated performance improvements of up to 2–3 × compared to previous processing methods,

depending on the workload. In addition, enhanced performance telemetry provides deeper insight into system behavior, enabling administrators to identify bottlenecks more quickly and apply optimizations where they deliver the greatest benefit. The sequence and dependencies of jobs remain unchanged. To take full advantage of parallel processing, users may need to adjust their existing job configurations to save as much time as possible.




Figure 1: Performance Improvements

Note: This functionality is licensed separately.

2. Allocare AMS Portfolio

2.1 Total Return Swap - Transaction | Investment Object

For the specific requirements of **Total Return Swaps**, reset transactions have been added to the transaction types. They are entered using the price, and the G/L is calculated automatically. Furthermore, unlike the existing gain transaction, this G/L is realized.

The investment definitions for Total Return Swaps (TRS) have been expanded. Evaluation dates and resets can now be entered. When a reset transaction is entered on the evaluation date, the entry is automatically converted to a reset.

Mid Office Transactions
PM Investment Object

Change Swap

Transaction

Portfolio: CHF Mustermann Hans 1

Date: 02.07.2026

Trade Date: 15.05.2026 Trade Time: 16:50:25

Value Date: 15.05.2026

Type: **Total Return Swap Reset**

Custody A/C:

Counterparty: Counterparty-Sample

Broker: Unknown

Status: Executed

Custody: Unknown

Reference:

Ext. Ref.:

Comments:

Settlement:

Return

Investment: Total Return Swap Equity Counterparty-Sample 15.04.28

Nom: CHF 100.0000 Price: CHF 102.0000 Value: CHF 10'200.00

Reset: CHF 100.0000 Gain: 200.00

Account:

FX Rate: 1.00000 Proceeds: 0.00 Credit

Financing

Investment: Total Return Swap Fixed Counterparty-Sample 10K 15.05.26

Nom: CHF 10'000.0000 Price: CHF 100.0000 Value: CHF 10'000.00

FX Rate:

Change Investment - Total Return Swap Equity Counterparty-Sample 15.04.28

General

Advanced

Features

Interest

Issue

Rating

Industry

Classification

Underlying Portfolio

Document

Provider

Status

Permission

☐ Liable to Withholding Tax AI Mode: By Interest Definitions

Interest Definitions

	Accrual Date	First	Last	End Date	Float	Rate	No.	Periodicity

Add... Change... Delete

Cash Flows

	Type	Payment Date	Ccy	Amount	Ex Dividend	Fixing
1	Reset		CHF	100.0000		15.04.2026
2	Reset		CHF	102.0000		15.05.2026
3	Evaluation Date					15.06.2026
4	Evaluation Date					15.07.2026
5	Evaluation Date					14.08.2026
6	Evaluation Date					15.09.2026
7	Evaluation Date					15.10.2026

Add... Change... Delete

OK Cancel Apply Operation Help

Figure 2: Total Return Swap Reset Enhancement

Change Investment

Definition
 Currency: CHF Country: CH Risk Dom: CH
 Investment Type: Total Return Swap Equity

Total Return
 Underlying: 998089 SMI (PR) Search
 Start Date: 15.04.2026 Maturity: 15.04.2028
 Payment Period: Monthly

Evaluation Dates
 Business Day: Preceding

	Type	Fixing
1	Evaluation Date	15.05.2026
2	Evaluation Date	15.06.2026
3	Evaluation Date	15.07.2026
4	Evaluation Date	14.08.2026
5	Evaluation Date	15.09.2026
6	Evaluation Date	15.10.2026
7	Evaluation Date	13.11.2026
8	Evaluation Date	15.12.2026

OK Cancel Help

Summary Table:

Total Return Swap Open		Comments:
Counterparty-Sample		Settlement:
Unknown		
Total Return Swap Equity Counterparty-Sample 01.01.22		
200'000.0000	Price: CHF	90.0000 Value: CHF
Accrued Interest:		20'000'000.00
		Deducted

Figure 3: Input Wizard

Schedule entry guide

When creating the TRS, the valuation dates are already set. These follow a regular schedule but may be affected by various holidays. The input wizard suggests the appropriate dates: The user can then make adjustments as needed due to holidays and does not have to enter the entire schedule manually. This input wizard is available via the Investment Definition in the opening transaction.

2.2 Search by Identifier or Portfolio Name

The search functionality has been enhanced to provide greater flexibility—especially for customers who do not maintain portfolio identifiers. With the updated **Search By Identifier** feature, users can now search not only by identifiers but also by **portfolio names**.

A new **<Name>** option allows users to enter multiple portfolio names. These can be provided as a list, separated by line breaks.

Portfolio List

Ref Ccy	Name	Type	Investment Style	Contract
CHF	Mustermann Hans 1	Client	Balanced	Advisory
EUR	Mustermann Julia 1	Client	Bond Portfolio...	Advisory

Search Portfolio by Identifier

Identifier: System: <Name>

Search Append Reset Save

Mustermann Julia 1
Mustermann Hans 1

Miscellaneous: Status:

Figure 4: Search by Portfolio Names in Portfolio List

2.3 New Methods: Value (TS) & Value (TS) %

Data  Code Values

Two new parametric methods, **Value (TS)** and **Value (TS) %**, extend portfolio analysis by allowing users to select a portfolio time series as the reference value directly within the method parameters.

Value (TS) displays the value of the corresponding portfolio time series at the selected As-of date in valu-

ation currency, while **Value (TS) %** calculates each sub-portfolio's share relative to the selected portfolio time series. The methods also support aggregate portfolios, ensuring consistent analysis across different portfolio structures.




Figure 5: New Methods in Analysis Tree

2.4 Constraint Editor Enhancements

Adding documents to restrictions is now supported. In the Constraint editor, users can now add and save documents. This feature is not subject to the 4-eyes principle or version control.

Therefore, the new permission, **Modify Constraint Documents**, provides control over document editing processes which must be enabled in the **Allocare AMS Administration**.




Figure 6: Adding Documents to Constraint Definition

2.5 Transfer of Code Values

Transfer functionality has been extended to support the XML-based exchange of Identifier Systems, Countries, Currencies, Markets, and Return Policies, enabling more efficient and standardized data migration. In addition, the

import and export capabilities now make it easier to transfer Code Values between different databases—for example, Code Values can be prepared in a development environment and then transferred to production.




Figure 7: Transfer of Code Values

2.6 Diagnosis of Scheduled Tasks

Profile Scheduled Task

The **Allocare AMS Event Profiler** has been integrated with **Scheduled Tasks**, enabling authorized users to configure trace options for selected AlcExec-based tasks directly from the **Job Editor**.

Trace options can be organized into reusable profiles, with standard profiles provided out of the box.

All trace data is stored securely in the Allocare **AMS Database** and is accessible only to authorized users.

This feature enables targeted analysis of the run-time behavior of individual scheduled tasks, making it easier to diagnose performance issues, optimize task execution, and improve overall system performance.




Figure 8: Scheduled Tasks Job History to Analyze Traced Tasks

2.7 Reporting

2.7.1 General

New Report Generation Process

We introduce a significant improvement in our report generation process: **direct PDF file creation** without the need for a virtual printer (Postscript). This change reduces final PDF preparation time and sets the stage

for future enhancements, including advanced accessibility features and interactive navigation with chapter links in the table of contents.




Figure 9: Process of Direct PDF

Consolidated Report Preview

Reporting users can now view and manage report previews in chronological order within the **Report Preview** tab. This feature provides a list of recently created reports, making it easier to monitor their progress and review completed results. The previews are listed, sorted chronologically by start date. During report

generation, the system displays the current processing status and indicates which report module or page is being processed. Once finished, a confirmation or error message is provided. This update enhances your ability to efficiently manage and review multiple report previews.




Figure 10: Report Preview Tab

- **Name:** Displays the name of the report or book.
- **Code:** Displays the code of the report or book.
- **Started:** Displays when each preview started.
- **Duration:** Indicates how long the generation process has taken.
- **Status:** Displays the current status – Waiting, Processing, Finished or an Error.
- **Message:** During report generation, the system tracks which module or page is being processed. Upon completion, it provides a message indicating whether the report was successfully generated or shows the error message.

Status	Message
	
	Complete
	Mustermann Hans 1 / Reporting 2.0
	Failed to load time series meta info

Add Exclude Filter Option

A new Exclude option is available next to the subportfolio filter dropdown in standard reports and composition modules. Users can now define via checkbox whether selected filter attributes should be included or excluded from the report output, providing more precise control over reporting results.

In the following report topics the option is implemented:

- Attribution
- Performance
- Risk
- Private Equity
- Real Estate
- MIFID

Figure 11: Exclude Filter Option

Report Definition Editor: Window Title Enhancement

The Report Definition Editor has been enhanced to improve clarity and orientation when working with multiple reports. The report code is now displayed directly in the window title, providing immediate context

about the currently opened report definition. This improvement makes it easier to identify and distinguish between different reports at a glance, especially when multiple editor windows are open simultaneously.

Figure 12: Window Title Enhancement in Report Definition Editor

Constraints Listing (COM-004)

A new constraints report has been introduced, this report provides either an overview or a detailed view of the constraints assigned to a portfolio.

It can be used for audit purposes as well as for filing and compliance documentation. This report replaces the old Crystal report COM-001.




Figure 14: Constraint Listing Report (COM-004)

2.7.3 Add-On-Reports

LexisNexis Export™ (DC-017)



LexisNexis

Reporting



Report Definition

A new **LexisNexis Export** report (DC-017) is now available. The report is particularly well-suited for compliance processes such as 'Know Your Customer' (KYC), anti-money laundering (AML), politically exposed person (PEP) screening, sanctions checks, and monitoring

negative media reports, and supports data preparation according to LexisNexis specifications with output available as a PDF report or export to Excel and CSV using a customizable export format.

The screenshot displays the LexisNexis Export (DC-017) report interface. The top section shows filters for Name, Reference Ccy, Type, Investment Style, Manager, Portfolio Status, Contract Type, Function, Legal Entity /Address Type, LE Classifier, and Address Type. The Function dropdown is expanded, showing options like Portfolio Manager, Deputy Portfolio Manager, Portfolio Administrator, Relationship Manager, Account Holder, and Power of Attorney. Below the filters, the report title 'LexisNexis Export' is shown with the date 'As of 01.04.2026'. A table lists client data:

Client Number	First Name	Middle Name	Last Name	Country of Domicile	Date of Birth
MuHa	Hans		Mustermann	Switzerland	01.08.1980
MuJu	Julia	Regina Victoria	Mustermann	Austria	14.07.1982

Below the table, the date '22.06.2026 | 16:13:05' is displayed. To the right of the table, there are icons for PDF and XLS export. At the bottom, an Excel spreadsheet is shown with the same data table, titled 'Lexis/Nexis Export' and dated 'As of 01.04.2026'. The Excel interface includes the ribbon (File, Home, Insert, Draw, Page Layout, Formulas, Data, Review, View, Automate, Developer, Help) and the status bar at the bottom shows 'Page 1' and 'Count: 3'.

Figure 15: Lexis Nexis Report (DC-017)

Note: This functionality is licensed separately.

3. Allocare WEB



3.1 New Technology

As part of the ongoing modernization of the platform, additional legacy technologies have been replaced with modern components. This transition enhances functionality, improves maintainability, and provides a more robust foundation for future enhancements.

In this release, the modernization has been extended to the **Inventory**, **Unrealised Gain/Loss**, **Positions** page, **Composed Pages** list, and **Working List**. The integration of those newer components with advanced data query support enables faster data retrieval and visualization.




Figure 16: New Technology in WEB Pages

3.2 Performance Improvements Analysis Tree and Dashboards

Comprehensive performance optimizations have been implemented to enhance user experience and system responsiveness. Method queries have been accelerated, and the caching mechanisms have been optimized, significantly reducing loading times across the application. The frequency of hybrid calculations for less commonly used time series has been minimized,

further decreasing processing overhead and improving overall efficiency.

Additionally, enhanced caching strategies and the introduction of parallelized task execution allow for faster processing of complex calculations. The calculation logic itself has been refined to ensure quicker response.

Calculation Logic



- The frequency of hybrid calculations has been minimized, thereby improving overall efficiency.

Parallel Processing



- Parallelized task execution for faster processing of complex calculations.

Performance Improvements



- Caching mechanisms and advanced caching strategies have been optimized to reduce load times.
- Method queries have been accelerated.



4. Modules & Interfaces

4.1 New FIX Order Interfaces: Bethmann|BCEE|KBC

The three new FIX order interfaces expand Allocare AMS with connectivity to additional counterparties:

- **BCEE**
- **Bethmann**
- **KBC**

This enables seamless trade execution across stocks, bonds, funds, and options, while improving speed, reliability, and operational efficiency. Designed to simplify workflows and minimize overhead, the solution helps you stay focused on growing and managing your business.




Figure 17: New FIX Interfaces

Note: These functionalities are licensed separately.

4.2 VDF Feed: Investment Classifiers for MiFID II Target Markets



MiFID II Target Markets from SIX can be loaded as investment classifiers to check the suitability of instruments with constraints.

This update improves the accuracy and flexibility of our configuration options for handling MiFID II target markets.

4.3 GDF Feed: GDF MAP2 - Multi Field Mapping

GDF_MAP2 provides you with an advanced mapping function for GDF files. You can now define up to three source and target columns, allowing you to conveniently set field values based on multiple columns. Various search modes enable targeted field mapping, for example, based on exact match, start, end, or a

substring of a value. By default, the search is case-insensitive but can be set to be case-sensitive if needed. With the flexible syntax of GDF_MAP2, you can easily configure more complex mappings and adapt them to your specific requirements.

5. System Requirements



Operating Systems

Allocare AMS Release 26.3 supports the following operating systems for workstations:

- Windows 11
- Windows 10 (Dark Mode Theme only works properly from version 1809 onwards)

Allocare AMS Release 26.3 supports the following server operating systems running Microsoft SQL Server or Internet Information Services:

- Microsoft Windows Server 2025
- Microsoft Windows Server 2022
- Microsoft Windows Server 2019
- Microsoft Windows Server 2016

Database Management Systems

Allocare AMS Release 26.3 supports the following database management systems:

- Microsoft SQL Server 2025
- Microsoft SQL Server 2022
- Microsoft SQL Server 2019 (Cumulative Update 3)
- Microsoft SQL Server 2017 (Cumulative Update 19)
- Microsoft SQL Server 2016, Service Pack 1

Web Servers

Allocare WEB Release 26.3 will run on Microsoft IIS 7.0 up to 10.0.

- Microsoft .NET Framework 4.8 (incl. ASP.NET)

Web Browsers

Allocare WEB Release 26.3 supports the following web browsers:

- Microsoft Edge (Chromium)
- Firefox
- Chrome
- Safari on Macintosh

6. Installation Requirements

The following information is for people responsible for the installation of the Allocare AMS and Allocare WEB applications.

Microsoft Visual C++ Redistributable

A required prerequisite to run the Allocare AMS application suite is *Microsoft Visual C++ 2015-2022 Redistributable (x64)* - 14.34.31931 that must be available on a client machine. Allocare WEB Service also requires this redistributable.

This will be installed automatically when using the Setup executable provided on the installation image. When the Setup executable is not used, the redistributable must be installed manually or the required files must be copied from the image.

Note	From Release 26.9 , the required prerequisite is the C++ Runtime: Microsoft Visual C++ 2026 Redistributable Package (x64) , version 14.50.35719.0 .
-------------	--

Microsoft .NET Framework

A required prerequisite to run the Allocare AMS application suite and Allocare WEB (Service) is Microsoft .NET Framework 4.8 which must be available on a client or web server machine.

It will be installed automatically when using the Setup executable provided on the installation image.

When the Setup executable is not used, the redistributable must be installed manually.